

# FlushSpeed<sup>PRO</sup>



B+BTEC introduces a game changing, patented, Carbide Hammer Drilling System that offers unparalleled Drilling Speed, Increased Bit Life & Substantial Cost Savings when compared to conventional hammer drilling methods. The **FlushSpeed PRO** SDS-Max Hammer Drilling System uses normal tap water to achieve very high penetrating rates while maintaining a limited degree of carbide wear.

The **FlushSpeed PRO** System features Easy Change Carbide Tips that are fitted onto 8" or 16" Drilling Shafts and can be used with regular SDS-Max Rotary Hammers. The Exchangeable Carbide Tip Diameters range from 5/8" up to 1 3/8", making the **FlushSpeed PRO** System highly suited for Anchoring & Rebar Doweling Applications.

**Silica Dust Free** (No expensive HEPA required)  
**up to 2 x Faster Drilling**  
**4 x Longer Bit Life**

## BENEFITS

- Silica Dust Free, No Expensive HEPA Vacuum required
- 2 x Faster Drilling, 4 x Longer Bit Life
- Clean Anchor Holes
- Ideal for Deep Anchor Holes and Rebar Doweling
- Substantial Cost Savings
- Operator Friendly
- Fits Standard SDS-Max Rotary Hammers

**NEW!**

**A REVOLUTIONARY WET HAMMER DRILLING SYSTEM**



## COUPLERS

To connect the different FlushSpeed PRO components.  
Qty.: 2

Part Nr.	For Bit Diameters	EAN
2.100.151	M18 for Injection Head/Shaft	8714345214009
2.100.082	M10 for 5/8"	8714345176550
2.100.084	M14 for 3/4" - 1"	8714345176574
2.100.081	M18 for 1 1/8" - 1 3/8"	8714345176543



2.100.086

2.100.151



## SDS-MAX WATER INJECTION HEAD

Complete with hose and water valve.  
Fits Standard SDS-Max Rotary Hammers.

### Recommended Rotary Hammer:

Appr. 8J for Bit Diameters 5/8" - 1"  
Appr. 12J for Bit Diameters 7/8" - 1 3/8"

Part Nr.	Description	EAN
2.100.086	Water Injection Head	8714345176598

**Silica Dust Free** (No expensive HEPA required)  
**up to 2 x Faster Drilling**  
**4 x Longer Bit Life**




2.100.080

Total Usable Length 10 1/4"



2.100.240

Total Usable Length +12"




2.100.140



2.100.083

Total Usable Length 10 1/2"



2.100.241

Total Usable Length +12"



2.100.141




2.100.085

Total Usable Length 10 1/2"



2.100.242

Total Usable Length +12"



2.100.142

# A REVOLUTIONARY WET HAMMER DRILLING SYSTEM



Total Usable Length 18 3/8"




Drilling Shafts & Extension Rods for FlushSpeed PRO Hammer Tips **5/8"**. Qty.: 1

Part Nr.	Shaft	EAN
2.100.240	8"	8714345197272
2.100.080	16"	8714345176536

Part Nr.	Extension	EAN
2.100.140	12"	8714345214153

Total Usable Length 18 1/2"




Drilling Shafts & Extension Rods for FlushSpeed PRO Hammer Tips **3/4" - 1"**. Qty.: 1

Part Nr.	Shaft	EAN
2.100.241	8"	8714345197289
2.100.083	16"	8714345176567

Part Nr.	Extension	EAN
2.100.141	12"	8714345214160

Total Usable Length 18 1/2"



Drilling Shafts & Extension Rods for FlushSpeed PRO Hammer Tips **1 1/8" - 1 3/8"** Qty.: 1

Part Nr.	Shaft	EAN
2.100.242	8"	8714345197296
2.100.085	16"	8714345176581

Part Nr.	Extension	EAN
2.100.142	12"	8714345214177

## CARBIDE HAMMER TIPS

Easy Change Carbide Hammer Tips for the use with the FlushSpeed PRO Wet Hammer Drilling System.

Part Nr.	Diameter	EAN
2.100.143	5/8"	8714345217628
2.100.144	3/4"	8714345217635
2.100.145	7/8"	8714345217642
2.100.146	1"	8714345217659
2.100.147	1 1/8"	8714345217666
2.100.148	1 1/4"	8714345217673
2.100.149	1 3/8"	8714345217680



## SUBSTANTIAL COST SAVINGS

The FlushSpeed PRO System consists of 12 easy change Cabide Hammer tips that are fitted onto 8" or 16" Drilling Shafts. This equals 24 standard SDS-MAX Hammer Bits, a nice saving to begin with.

Add the time saving due to the high drilling speeds and the extreme bit life you can count on substantial cost savings.

**Silica Dust Free** (No expensive HEPA required)  
**up to 2 x Faster Drilling**  
**4 x Longer Bit Life**

**NEW!**

**A REVOLUTIONARY WET HAMMER DRILLING SYSTEM**

**B+BTEC**